

# SAFETY DATA SHEET

In accordance with 1907/2006 annex II 2015/830 and 1272/2008  
(All references to EU regulations and directives are abbreviated into only the numeric term)  
Issued 2018-11-06  
Version number 1.0



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name Speedy Adhesive  
Article number 7310

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Used for eyelash extensions  
Adhesives

### 1.3. Details of the supplier of the safety data sheet

Company Lilly Nails AB  
Parkgatan 13  
411 24 Göteborg  
Sweden  
Telephone 031-298829  
E-mail order@lillynails.se

### 1.4. Emergency telephone number

Acute cases: Call 112, request poison information.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Skin Irritant (Category 2), H315  
Irritates eyes (Category 2), H319  
Specific target organ toxicity - single exposure; May cause respiratory irritation (Category 3 resp), H335

### 2.2. Label elements

Hazard pictogram



Signal word	Warning
Hazard statements	
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
Precautionary statements	
P261	Avoid breathing vapours
P280	Wear protective gloves and eye protection
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337+P313	If eye irritation persists: Get medical advice/attention
P403+P233	Store in a well-ventilated place. Keep container tightly closed

### Supplemental hazard information

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.  
Contains: ETHYL-2-CYANOACRYLATE

### 2.3. Other hazards

This product does not contain any substances that are assessed to be a PBT or a vPvB

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Note that the table shows known hazards of the ingredients in pure form. These hazards are reduced or eliminated when mixed or diluted, see Section 16d.

Constituent	Classification	Concentration
<b>ETHYL-2-CYANOACRYLATE</b>		
CAS No: 7085-85-0 EC No: 230-391-5 Index No: 607-236-00-9	Skin Irrit 2, Eye Irrit 2, STOT SE <i>3resp</i> ; H315, H319, H335	90 %
<b>POLY(METHYL METHACRYLATE)</b>		
CAS No: 9011-14-7 EC No: 618-466-4		5 %
<b>CARBON BLACK</b>		
CAS No: 1333-86-4 EC No: 215-609-9		5 %

Explanations to the classification and labelling of the ingredients are given in Section 16e. Official abbreviations are printed in normal font. Text in italics are specifications and/or complements used in the calculation of the classification of this mixture, see Section 16b.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Generally

In case of concern, or if symptoms occur, call a doctor/physician.

#### Upon breathing in

Fresh air and rest. If symptoms persist seek medical advice.

#### Upon eye contact

Do not rub the eyes.

Cover the eye with warm, wet compresses until the eyelids can separate. Do not attempt to separate glued eyelids.

Rinse the eye for several minutes with lukewarm water. If irritation persists call a doctor.

#### Upon skin contact

Remove contaminated clothes.

If body parts are glued together, then soap and lukewarm water should be used. Carefully separate skin surfaces glued together.

If symptoms persist contact a doctor.

Carefully remove remaining glue residue.

#### Upon ingestion

Rinse nose, mouth and throat with water.

Ingestion is unlikely, as the product hardens immediately in the mouth.

Get medical attention if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Upon breathing in

Irritation.

#### Upon eye contact

Smarting pain.

Irritation.

Redness.

#### Upon skin contact

Irritation.

Redness.

Smarting pain.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

Upon contact with a doctor, make sure to have the label or this safety data sheet with you.

No further relevant information is available.

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

#### Recommended extinguishing agents

Extinguish with powder, carbon dioxide or foam.

#### Unsuitable extinguishing agents

May not be extinguished with water dispersed under high pressure.

### 5.2. Special hazards arising from the substance or mixture

Produces fumes containing harmful gases (carbon monoxide and carbon dioxide) when burning, and, in case of incomplete combustion, aldehydes and other toxic, harmful, irritant or environmentally harmful substances.

Nitrogen oxides may form in case of fire.

### 5.3. Advice for fire-fighters

Protective measures should be taken regarding other material at the site of the fire.

In case of fire use a respirator mask.

Wear full protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Do not inhale vapours and avoid contact with skin, eyes and clothes when cleaning up the spillage.

Use recommended safety equipment, see section 8.

Ensure good ventilation.

### 6.2. Environmental precautions

Avoid release to drains, soil or watercourses.

### 6.3. Methods and material for containment and cleaning up

Let the product harden and discard mechanically.

Larger quantities: Contain with dirt, sand or similar.

Destruct according to the local directions.

### 6.4. Reference to other sections

See also section 7 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Store this product separately from food items and keep it out of the reach of children and pets.

Do not eat, drink or smoke in premises where this product is handled.

Avoid spillage, inhalation and contact with eyes and skin.

Wash your hands after using the product.

Remove clothes which have been splattered.

Wash contaminated clothing before reuse.

Handle and open container with care.

Avoid open fire, hot items, sparks or other ignition sources.

The product must only be handled by persons with relevant training.

### 7.2. Conditions for safe storage, including any incompatibilities

Store tightly, in original packaging.

Store in dry and cool area.

Keep away from heat and sunlight.

Opened containers must be sealed and stored at room temperature.

Store in a well-ventilated space.

Must not be stored close to oxidising agents.

### 7.3. Specific end uses

See identified uses in Section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National limit values

##### ETHYL-2-CYANOACRYLATE

#### United Kingdoms (EH40/2005)

Short term exposure limit (STEL) 0.3 ppm / 1.5 mg/m<sup>3</sup>

##### CARBON BLACK

#### United Kingdoms (EH40/2005)

Time-weighted-average exposure limit (TWA) 3.5 mg/m<sup>3</sup>

Short term exposure limit (STEL) 7 mg/m<sup>3</sup>

#### DNEL

##### ETHYL-2-CYANOACRYLATE

	Type of exposure	Route of exposure	Value
Consumer	Chronic Systemic	Inhalation	9.25 mg/m <sup>3</sup>
Worker	Chronic Local	Inhalation	9.25 mg/m <sup>3</sup>
Worker	Chronic Systemic	Inhalation	9.25 mg/m <sup>3</sup>
Consumer	Chronic Local	Inhalation	9.25 mg/m <sup>3</sup>

#### PNEC

No data available.

### 8.2. Exposure controls

Wash hands thoroughly after handling and before food intake or smoking.

#### 8.2.1. Appropriate engineering controls

Handle in premises which have modern ventilation standards.

Eye-rinsing facilities shall be available at the workplace.

#### Eye/face protection

Use protective glasses with tight seals according to standard EN166.

#### Skin protection

Wear suitable protective clothing when necessary.

Use protective gloves fulfilling the standard EN374 if there is a risk of direct contact.

During continuous contact use gloves with a minimum breakthrough time of at least 240 minutes, preferably over 480 minutes.

Do not use gloves made of PVC, rubber, nylon or cotton.

The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Selection of gloves should take into consideration other chemicals being handled, physical conditions and mobility needs.

#### Respiratory protection

Use proper protective breathing equipment in case of insufficient ventilation.

Gas filter AX is recommended.

### 8.2.3. Environmental exposure controls

Work with the product should take place in such a way that the product does not get into drains, waterways, soil and air.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

a) Appearance	Form: liquid. Colour: black.
b) Odour	irritant
c) Odour threshold	Not indicated
d) pH	Not indicated
e) Melting point/freezing point	Not indicated
f) Initial boiling point and boiling range	190 °C
g) Flash point	>95 °C
h) Evaporation rate	Not indicated
i) Flammability (solid, gas)	Not applicable
j) Upper/lower flammability or explosive limits	Not indicated
k) Vapour pressure	1 Pa
l) Vapour density	4.9
m) Relative density	0.9 - 1.1 Water = 1
n) Solubility	Solubility in water: Insoluble
o) Partition coefficient: n-octanol/water	Not applicable
p) Auto-ignition temperature	Not indicated
q) Decomposition temperature	Not indicated
r) Viscosity	Not indicated
s) Explosive properties	Not applicable
t) Oxidising properties	Not applicable

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Risk of exothermic polymerisation upon contact with incompatible materials.

The product hardens.

### 10.2. Chemical stability

The product is stable at normal storage and handling conditions.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known during normal use.

### 10.4. Conditions to avoid

Protect from moisture.

Protect from heat and direct sunlight.

### 10.5. Incompatible materials

Must be kept at a safe distance from oxidising agents, acids, bases, amines, alcohols and water.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Not indicated.

### Acute toxicity

The product is not classified as acute toxic.

### ETHYL-2-CYANOACRYLATE

LD50 rat 24h: > 5000 mg/kg Orally

### CARBON BLACK

LD50 rat 24h: > 8000 mg/kg Orally

### Skin corrosion/irritation

Contact with skin may cause redness and irritation.

**Serious eye damage/irritation**

Eye contact may cause burning pain or irritation.

**Respiratory or skin sensitisation**

Not sensitising.

**Germ cell mutagenicity**

No mutagenic effects have been reported for the substance in this mixture.

**Carcinogenicity**

No carcinogenic effects have been reported for the substances in this product.

**Reproductive toxicity**

No toxic effects to reproduction have been reported for the substances in this mixture.

**STOT-single exposure**

May cause irritation to the respiratory tract.

**STOT-repeated exposure**

No known hazards for repeated exposure.

**Aspiration hazard**

The product is not classified as being toxic for aspiration.

## SECTION 12: Ecological information

**12.1. Toxicity**

The product, according to current criteria and based on available information, is considered not to be harmful to the environment.

**ETHYL-2-CYANOACRYLATE**

LC50 Ide (Leuciscus idus) 48h: 160 mg/l

**CARBON BLACK**

EC50 Freshwater water flea (Daphnia magna) 24h: > 5600 mg/L

IC50 Algae 72h: 10000 mg/L

LC50 Zebra fish (Brachydanio rerio) 96h: > 1000 mg/L

**12.2. Persistence and degradability**

The product is not degradable.

**12.3. Bioaccumulative potential**

Neither this product, nor its contents, accumulates in nature.

**12.4. Mobility in soil**

The product is not very mobile in nature due to low solubility in water. The hardened product is very immobile.

**12.5. Results of PBT and vPvB assessment**

This product does not contain any substances that are assessed to be a PBT or a vPvB.

**12.6. Other adverse effects**

No known effects or hazards.

## SECTION 13: Disposal considerations

**13.1. Waste treatment methods****Waste handling of the product**

Discarded products must be disposed of as hazardous waste in accordance with regulations.

Not completely emptied packaging can contain remnants of dangerous substances and should therefore be handled as hazardous waste according to the above. Completely emptied packaging can be recycled.

Observe local regulations.

Avoid discharge into sewers.

See also national waste regulations.

Hardened substance is not hazardous waste.

**Classification according to 2008/98**

Recommended LoW-code: 08 04 09 Waste adhesives and sealants containing organic solvents or other dangerous substances

15 01 10 Packaging containing residues of or contaminated by dangerous substances

## SECTION 14: Transport information

Where not otherwise stated the information applies to all of the UN Model Regulations, i.e. ADR (road), RID (railway), ADN (inland waterways), IMDG (sea), and ICAO (IATA) (air).

### 14.1. UN number

3334

### 14.2. UN proper shipping name

Aviation regulated liquid, n.o.s.

### 14.3. Transport hazard class(es)

#### Class

9: Other hazardous substances and articles

### Classification code (ADR/RID)

M11: Other substances presenting a danger during carriage, but not meeting the definitions of another class

### Subsidiary risk (IMDG)

No subsidiary risk according to IMDG

### Labels

#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Not applicable

#### 14.6. Special precautions for user

#### Tunnel restrictions

Tunnel category:

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

#### 14.8 Other transport information

No stowage category (IMDG)

Emergency Schedule (EmS) for FIRE (IMDG) 0

Emergency Schedule (EmS) for SPILLAGE (IMDG) 0

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not indicated.

### 15.2. Chemical safety assessment

Assessment and chemical safety report in accordance with 1907/2006 Annex I has not yet been performed.

## SECTION 16: Other information

### 16a. Indication of where changes have been made to the previous version of the safety data sheet

#### Revisions of this document

This is the first version

### 16b. Legend to abbreviations and acronyms used in the safety data sheet

#### Full texts for Hazard Class and Category Code mentioned in section 3

Skin Irrit 2	Skin Irritant (Category 2)
Eye Irrit 2	Irritates eyes (Category 2)
STOT SE 3resp	Specific target organ toxicity - single exposure; May cause respiratory irritation (Category 3 resp)

#### Explanations of the abbreviations in Section 14

ADR European Agreement concerning the International Transport of Dangerous Goods by Road

RID Regulations concerning the International Transport of Dangerous Goods by Rail

IMDG International Maritime Dangerous Goods Code

ICAO International Civil Aviation Organization (ICAO, 999 University Street, Montreal, Quebec H3C 5H7, Canada)

IATA The International Air Transport Association

Transport category: ;

### 16c. Key literature references and sources for data

#### Sources for data

Primary data for the calculation of the hazards has preferentially been taken from the official European classification list, 1272/2008 Annex I, as updated to 2018-11-06.

Where such data was not available, alternative documentation used to establish the official classification was used, e.g. IUCLID (International Uniform Chemical Information Database). As a second alternative, information was used from reputable international chemical industries, and as a third alternative other available information was used, e.g. material safety data sheets from other suppliers or information from non-profit associations, where reliability of the source was assessed by expert opinion. If, in spite of this, reliable information could not be sourced, the hazards were assessed by expert opinions based on the known hazards of similar substances, and according to the principles in 1907/2006 and 1272/2008.

#### Full texts for Regulations mentioned in this Safety Data Sheet

1907/2006	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC
2015/830	COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
1272/2008	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
EH40/2005	EH40/2005 Workplace exposure limits
2008/98	DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives
1907/2006	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

### 16d. Methods of evaluating information referred to in 1272/2008 Article 9 which was used for the purpose of classification

Hazard calculation for this mixture has been performed as a cumulative assessment with the aid of expert assessments in accordance with 1272/2008 Annex I, where all available information which may be significant to establishing the hazards of the mixture was assessed together, and in accordance with 1907/2006 Annex XI.



**16e. List of relevant hazard statements and/or precautionary statements**

**Full texts for hazard statements mentioned in section 3**

H315 Causes skin irritation

H319 Causes serious eye irritation

H335 May cause respiratory irritation

**16f. Advice on any training appropriate for workers to ensure protection of human health and the environment**

**Warning for misuse**

This product is not expected to cause severe harm to humans or the environment. The manufacturer, the distributor or the supplier are not responsible for adverse effects if the product is not handled in accordance with the directions for use.

**Other relevant information**

Not indicated

**Editorial information**



This material safety data sheet has been prepared and checked by KemRisk®, KemRisk Sweden AB, Platensgatan 8, SE-582 20 Linköping, Sweden, [www.kemrisk.se](http://www.kemrisk.se)